




Jinan Yuki Bearing Co., Ltd.

30,000 mm x 72,000 mm x 19,000 mm NTN-
SNR 7306 angular contact ball bearings



Bearing No. 7306

Size	30x72x19 mm
Bore Diameter	30 mm
Outer Diameter	72 mm
Width	19 mm
d	30 mm
D	72 mm
B	19 mm
C	19 mm
Angle (°)	25 °
a	24,5 mm
r min.	1,1 mm
r1 min.	0,6 mm
da min.	37 mm
db min	34,5 mm
ra max.	1 mm
Weight	0,345 Kg
Basic dynamic load rating (C)	33,5 kN
Basic static load rating (C0)	22,3 kN
(Grease) Lubrication Speed	11 000 r/min
Contact angle	30 °
rs min	1.1 mm
r1s min	0.6 mm
Mass	0.34 kg
Dynamic load, C	33.5 kN
Static load, C0	22.3 kN

7306 Bearing 2D drawings and 3D CAD models



Jinan Yuki Bearing Co., Ltd.

Fatigue limit load, Cu	1.01 kN
Nlim (oil)	15,000 rpm
Nlim (grease)	11,000 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	120 ° C
da min	37 mm
Da max	65 mm
Db max	67.5 mm
r1a max	0.6 mm
ra max	1 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.36
EAN	4547359449167
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric



Jinan Yuki Bearing Co., Ltd.

Long Description	30MM Bore; 72MM Outside Diameter; 19MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntn-snr.com
Manufacturer Item Number	7306
Weight / LBS	0.797
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.835 Inch 72 Millimeter
Width	0.748 Inch 19 Millimeter